

Clamav

Установка и настройка ClamAV

```
cd /usr/ports/security/clamav
make install clean
```

```
ee /etc/rc.conf
clamav_clamd_enable="YES"
clamav_freshclam_enable="YES"
```

```
cp /usr/local/etc/clamd.conf /usr/local/etc/clamd.conf_orig
cp /usr/local/etc/freshclam.conf /usr/local/etc/freshclam.conf_orig
```

Конфиги /usr/local/etc/clamd.conf,
/usr/local/etc/freshclam.conf
Оставил без изменений

```
/usr/local/etc/rc.d/clamav-freshclam start
tail -f /var/log/clamav/freshclam.log
```

```
/usr/local/etc/rc.d/clamav-clamd start
tail -a /var/log/clamav/clamd.log
```

Отправляем себе письмо с таким содержанием

```
X50!P%@AP[4\PZX54(P^)7CC)7}$EICAR-STANDARD-ANTIVIRUS-TEST-
FILE!$H+H*
```

и смотрим в логах

```
tail -f /var/log/clamav/clamd.log
```

```
SelfCheck: Database status OK.
/var/amavis/tmp/amavis-20170925T121821-00814-
mm0CCn2U/parts/p002: Eicar-Test-Signature FOUND
/var/amavis/tmp/amavis-20170925T121821-00814-
mm0CCn2U/parts/p001: Eicar-Test-Signature FOUND
```

Все работает.