

Утилита IP

```
# ip -d link
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
```

```
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
promiscuity 0 addrngenmode eui64 numtxqueues 1 numrxqueues 1
gso_max_size 65536 gso_max_segs 65535
```

```
2: enp2s0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP mode DEFAULT group default qlen 1000
```

```
    link/ether 94:de:80:92:7b:69 brd ff:ff:ff:ff:ff:ff
promiscuity 0 addrngenmode eui64 numtxqueues 1 numrxqueues 1
gso_max_size 65536 gso_max_segs 65535
```

```
3: enp3s1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP mode DEFAULT group default qlen 1000
```

```
    link/ether 00:30:84:b3:9b:83 brd ff:ff:ff:ff:ff:ff
promiscuity 1 addrngenmode eui64 numtxqueues 5 numrxqueues 5
gso_max_size 65536 gso_max_segs 65535
```

```
10: tun0: <POINTOPOINT,MULTICAST,NOARP,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN mode DEFAULT group default qlen 100
```

```
    link/none promiscuity 0
```

```
    tun addrngenmode eui64 numtxqueues 1 numrxqueues 1
gso_max_size 65536 gso_max_segs 65535
```

```
# ip -s link
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
```

```
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
```

```
    RX: bytes packets errors dropped overrun mcast
```

```
    619552608 4811492 0 0 0 0
```

```
    TX: bytes packets errors dropped carrier collsns
```

```
    619552608 4811492 0 0 0 0
```

```
2: enp2s0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP mode DEFAULT group default qlen 1000
```

```
    link/ether 94:de:80:92:7b:69 brd ff:ff:ff:ff:ff:ff
```

```
    RX: bytes packets errors dropped overrun mcast
```

```
    109785124776 103751720 0 0 0 16840
```

```
    TX: bytes packets errors dropped carrier collsns
```

```

39302919603 78926469 0 0 1 0
3: enp3s1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq
state UP mode DEFAULT group default qlen 1000
    link/ether 00:30:84:b3:9b:83 brd ff:ff:ff:ff:ff:ff
    RX: bytes packets errors dropped overrun mcast
    3908897695 35808725 11 0 0 61145
    TX: bytes packets errors dropped carrier collsns
    52387716842 46746941 0 0 0 0
10: tun0: <POINTOPOINT,MULTICAST,NOARP,UP,LOWER_UP> mtu 1500
qdisc pfifo_fast state UNKNOWN mode DEFAULT group default qlen
100
    link/none
    RX: bytes packets errors dropped overrun mcast
    2620743 20524 0 0 0 0
    TX: bytes packets errors dropped carrier collsns
    19541783 22973 0 0 0 0

```